

THE CODING NETWORK, LLC
Confidential Coding Review For
Vascular Surgery Audit



Patient: 1	Date of Service: 1/14/09	Physician: X																																																		
<table border="0"> <thead> <tr> <th><u>Original Coding</u></th> <th><u>RVUs</u></th> </tr> </thead> <tbody> <tr><td>37205-78.....</td><td>12.33</td></tr> <tr><td>34825-59-78.....</td><td>19.58</td></tr> <tr><td>34826-59.....</td><td>5.81</td></tr> <tr><td>75894-26-59.....</td><td>1.88</td></tr> <tr><td>34812-50-59-78.....</td><td>14.75</td></tr> <tr><td>(Calculated at 150% RVU for bilateral)</td><td></td></tr> <tr><td>75960-26-59.....</td><td>1.19</td></tr> <tr><td>36245-59.....</td><td>7.04</td></tr> <tr><td>75722-26-59.....</td><td>1.66</td></tr> <tr><td>61624-59-78.....</td><td>29.81</td></tr> <tr><td>Total.....</td><td>94.05</td></tr> </tbody> </table>	<u>Original Coding</u>	<u>RVUs</u>	37205-78.....	12.33	34825-59-78.....	19.58	34826-59.....	5.81	75894-26-59.....	1.88	34812-50-59-78.....	14.75	(Calculated at 150% RVU for bilateral)		75960-26-59.....	1.19	36245-59.....	7.04	75722-26-59.....	1.66	61624-59-78.....	29.81	Total.....	94.05	<table border="0"> <thead> <tr> <th><u>The Coding Network Coding</u></th> <th><u>RVUs</u></th> </tr> </thead> <tbody> <tr><td>37204-78</td><td>26.27</td></tr> <tr><td>34825-78-51.....</td><td>19.58</td></tr> <tr><td>37207-59-78.....</td><td>12.14</td></tr> <tr><td>34812-59-78.....</td><td>9.83</td></tr> <tr><td>36245-78-51.....</td><td>7.04</td></tr> <tr><td>36200-59-78.....</td><td>4.32</td></tr> <tr><td>36200-59-78.....</td><td>4.32</td></tr> <tr><td>75953-26</td><td>1.92</td></tr> <tr><td>75894-26</td><td>1.88</td></tr> <tr><td>75960-26-59.....</td><td>1.19</td></tr> <tr><td>Total.....</td><td>88.49</td></tr> <tr><td><i>Difference.....</i></td><td><i>+ 5.56 upcoded</i></td></tr> </tbody> </table>	<u>The Coding Network Coding</u>	<u>RVUs</u>	37204-78	26.27	34825-78-51.....	19.58	37207-59-78.....	12.14	34812-59-78.....	9.83	36245-78-51.....	7.04	36200-59-78.....	4.32	36200-59-78.....	4.32	75953-26	1.92	75894-26	1.88	75960-26-59.....	1.19	Total.....	88.49	<i>Difference.....</i>	<i>+ 5.56 upcoded</i>	<p style="text-align: center;"><u>Discussion</u></p> <ul style="list-style-type: none"> • Missed Procedure x 3: 36200 X 2 was performed from three separate approaches. The supervision & interpretation code for 34825 (75953) was also documented. • Billed but not documented x 2/Unbundled: Only an open access on the femoral was performed on one side, so 34812 should not be coded bilaterally. Only one proximal cuff was placed, so, 34826 was not supported. Also, the angiography of the renal vessel was performed after the stent placement and included in the procedure. • Wrong Code x 2: 37205 was changed to 37207 as the stent was placed through an open incision. 61624 was changed to 37204 as this was not placed on the head or neck area. • Modifiers x 3: 59 modifiers were removed when not needed • Order: List CPT codes in descending order to optimize reimbursement.
<u>Original Coding</u>	<u>RVUs</u>																																																			
37205-78.....	12.33																																																			
34825-59-78.....	19.58																																																			
34826-59.....	5.81																																																			
75894-26-59.....	1.88																																																			
34812-50-59-78.....	14.75																																																			
(Calculated at 150% RVU for bilateral)																																																				
75960-26-59.....	1.19																																																			
36245-59.....	7.04																																																			
75722-26-59.....	1.66																																																			
61624-59-78.....	29.81																																																			
Total.....	94.05																																																			
<u>The Coding Network Coding</u>	<u>RVUs</u>																																																			
37204-78	26.27																																																			
34825-78-51.....	19.58																																																			
37207-59-78.....	12.14																																																			
34812-59-78.....	9.83																																																			
36245-78-51.....	7.04																																																			
36200-59-78.....	4.32																																																			
36200-59-78.....	4.32																																																			
75953-26	1.92																																																			
75894-26	1.88																																																			
75960-26-59.....	1.19																																																			
Total.....	88.49																																																			
<i>Difference.....</i>	<i>+ 5.56 upcoded</i>																																																			
<p style="text-align: center;"><u>Diagnoses</u></p> <p>441.4 Abdominal aneurysm without mention of rupture</p>	<p style="text-align: center;"><u>Diagnoses</u></p> <p>996.1 Mechanical complication of other vascular device, implant, and graft</p> <p>E878.2 Surgical operation with anastomosis, bypass, or graft, with natural or artificial tissues used as implant causing abnormal patient reaction, or later complication</p>	<p style="text-align: center;"><u>Discussion</u></p> <ul style="list-style-type: none"> • Missed Diagnosis X 2: The aneurysm is no longer present and there was an endo-leak of the graft that was treated during this encounter, and is coded with these two code combinations. 																																																		

THE CODING NETWORK, LLC
Confidential Coding Review For
 Vascular Surgery Audit



Patient: 2	Date of Service: 12/15/08	Physician: X																														
<table border="0" style="width: 100%;"> <tr> <td style="width: 70%;"><u>Original Coding</u></td> <td style="text-align: right;"><u>RVUs</u></td> </tr> <tr> <td>35151-59</td> <td style="text-align: right;">35.67</td> </tr> <tr> <td>35572-59</td> <td style="text-align: right;">9.88</td> </tr> <tr> <td>36245-59</td> <td style="text-align: right;">6.88</td> </tr> <tr> <td>35556-59</td> <td style="text-align: right;">38.90</td> </tr> <tr> <td>75710-26</td> <td style="text-align: right;">1.62</td> </tr> <tr> <td>Total.....</td> <td style="text-align: right;">92.95</td> </tr> </table>	<u>Original Coding</u>	<u>RVUs</u>	35151-59	35.67	35572-59	9.88	36245-59	6.88	35556-59	38.90	75710-26	1.62	Total.....	92.95	<table border="0" style="width: 100%;"> <tr> <td style="width: 70%;"><u>The Coding Network Coding</u></td> <td style="text-align: right;"><u>RVUs</u></td> </tr> <tr> <td>35556-59-22-RT</td> <td style="text-align: right;">46.68</td> </tr> <tr> <td>(Calculated at 120% due to 22 modifier)</td> <td></td> </tr> <tr> <td>35151-51-RT.....</td> <td style="text-align: right;">35.67</td> </tr> <tr> <td>36140-59.....</td> <td style="text-align: right;">2.84</td> </tr> <tr> <td>75710-26.....</td> <td style="text-align: right;">1.62</td> </tr> <tr> <td>Total.....</td> <td style="text-align: right;">86.81</td> </tr> <tr> <td colspan="2"><i>Difference + 6.14 upcoded</i></td> </tr> </table>	<u>The Coding Network Coding</u>	<u>RVUs</u>	35556-59-22-RT	46.68	(Calculated at 120% due to 22 modifier)		35151-51-RT.....	35.67	36140-59.....	2.84	75710-26.....	1.62	Total.....	86.81	<i>Difference + 6.14 upcoded</i>		<p style="text-align: center;"><u>Discussion</u></p> <ul style="list-style-type: none"> • Billed but not documented: CPT 35572 could not be coded as the harvesting of a saphenous vein is included in a bypass procedure. • Wrong code: CPT 36245 was changed to 36140 as the femoral artery was selected and did not go any further. • Modifiers x 3: 22 Modifier was used on 35556 as just the harvest of the vein took over two hours. RT Modifier's were added to 35556/35151 to show this was done on the right leg. • Order: List CPT codes in descending order to optimize reimbursement.
<u>Original Coding</u>	<u>RVUs</u>																															
35151-59	35.67																															
35572-59	9.88																															
36245-59	6.88																															
35556-59	38.90																															
75710-26	1.62																															
Total.....	92.95																															
<u>The Coding Network Coding</u>	<u>RVUs</u>																															
35556-59-22-RT	46.68																															
(Calculated at 120% due to 22 modifier)																																
35151-51-RT.....	35.67																															
36140-59.....	2.84																															
75710-26.....	1.62																															
Total.....	86.81																															
<i>Difference + 6.14 upcoded</i>																																
<p style="text-align: center;"><u>Diagnoses</u></p> <p>442.3 Aneurysm of artery of lower extremity</p> <p>440.22 Atherosclerosis of native arteries of lower extremity with rest pain</p>	<p style="text-align: center;"><u>Diagnoses</u></p> <p>442.3 Aneurysm of artery of lower extremity</p> <p>440.20 Atherosclerosis of native arteries of lower extremity, unspecified</p>	<p style="text-align: center;"><u>Discussion</u></p> <ul style="list-style-type: none"> • Missed Diagnosis: There was no documentation of rest pain that the patient was experiencing. 440.22 changed to 440.20 																														

THE CODING NETWORK, LLC
Confidential Coding Review For
Vascular Surgery Audit



Patient: 3	Date of Service: 7/24/08	Physician: X																																																																												
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>Original Coding</u></th> <th style="text-align: right;"><u>RVUs</u></th> </tr> </thead> <tbody> <tr><td>34203-50-22.....</td><td style="text-align: right;">49.15</td></tr> <tr><td>(Calculated at 170% for 50 & 22 Mods)</td><td></td></tr> <tr><td>34203-50-59.....</td><td style="text-align: right;">40.97</td></tr> <tr><td>(Calculated at 150% for bilateral)</td><td></td></tr> <tr><td>34201-50.....</td><td style="text-align: right;">40.22</td></tr> <tr><td>(Calculated at 150% for bilateral)</td><td></td></tr> <tr><td>34201-59.....</td><td style="text-align: right;">26.81</td></tr> <tr><td>37205.....</td><td style="text-align: right;">12.37</td></tr> <tr><td>37206-59.....</td><td style="text-align: right;">5.93</td></tr> <tr><td>75960-26-59.....</td><td style="text-align: right;">1.17</td></tr> <tr><td>36245-59.....</td><td style="text-align: right;">6.88</td></tr> <tr><td>36246-59.....</td><td style="text-align: right;">7.56</td></tr> <tr><td>36247-59.....</td><td style="text-align: right;">9.01</td></tr> <tr><td>75716-26-59.....</td><td style="text-align: right;">1.84</td></tr> <tr><td>75774-26-59.....</td><td style="text-align: right;">0.51</td></tr> <tr><td>Total.....</td><td style="text-align: right;">202.42</td></tr> </tbody> </table>	<u>Original Coding</u>	<u>RVUs</u>	34203-50-22.....	49.15	(Calculated at 170% for 50 & 22 Mods)		34203-50-59.....	40.97	(Calculated at 150% for bilateral)		34201-50.....	40.22	(Calculated at 150% for bilateral)		34201-59.....	26.81	37205.....	12.37	37206-59.....	5.93	75960-26-59.....	1.17	36245-59.....	6.88	36246-59.....	7.56	36247-59.....	9.01	75716-26-59.....	1.84	75774-26-59.....	0.51	Total.....	202.42	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>The Coding Network Coding</u></th> <th style="text-align: right;"><u>RVUs</u></th> </tr> </thead> <tbody> <tr><td>34203-50-22</td><td style="text-align: right;">49.15</td></tr> <tr><td>34201-50-51</td><td style="text-align: right;">40.22</td></tr> <tr><td>37207-51</td><td style="text-align: right;">12.21</td></tr> <tr><td>35456-51</td><td style="text-align: right;">10.82</td></tr> <tr><td>35452-51</td><td style="text-align: right;">10.17</td></tr> <tr><td>35454-51</td><td style="text-align: right;">8.94</td></tr> <tr><td>35454-59 X 3</td><td style="text-align: right;">26.82</td></tr> <tr><td>36245-51</td><td style="text-align: right;">6.88</td></tr> <tr><td>37208 X 5</td><td style="text-align: right;">29.50</td></tr> <tr><td>36200-59-50</td><td style="text-align: right;">6.41</td></tr> <tr><td>(Calculated at 150% for bilateral)</td><td></td></tr> <tr><td>75966-26</td><td style="text-align: right;">1.88</td></tr> <tr><td>75716-26-59</td><td style="text-align: right;">1.84</td></tr> <tr><td>75625-26</td><td style="text-align: right;">1.60</td></tr> <tr><td>75960-26 X 6</td><td style="text-align: right;">7.02</td></tr> <tr><td>75962-26</td><td style="text-align: right;">0.76</td></tr> <tr><td>75964-26 X 4</td><td style="text-align: right;">2.04</td></tr> <tr><td>75774-26</td><td style="text-align: right;">0.51</td></tr> <tr><td>Total.....</td><td style="text-align: right;">216.77</td></tr> <tr><td><i>Difference.....</i></td><td style="text-align: right;"><i>- 14.35 undervalued</i></td></tr> </tbody> </table>	<u>The Coding Network Coding</u>	<u>RVUs</u>	34203-50-22	49.15	34201-50-51	40.22	37207-51	12.21	35456-51	10.82	35452-51	10.17	35454-51	8.94	35454-59 X 3	26.82	36245-51	6.88	37208 X 5	29.50	36200-59-50	6.41	(Calculated at 150% for bilateral)		75966-26	1.88	75716-26-59	1.84	75625-26	1.60	75960-26 X 6	7.02	75962-26	0.76	75964-26 X 4	2.04	75774-26	0.51	Total.....	216.77	<i>Difference.....</i>	<i>- 14.35 undervalued</i>	<p style="text-align: center;"><u>Discussion</u></p> <ul style="list-style-type: none"> • Missed Procedure x 24: All of the stent and angioplasties were documented and should be billed. • Billed but not Documented x 4: 34203 and 34201 cannot be coded for each artery entered, only once on each leg. CPT's 36246 and 36247 were not documented. • Wrong code x 2: The stents were placed through an open incision so 37205/37206 was changed to 37207/37208. • Modifiers x 4: 59 Modifiers were removed where they are not needed (no bundling issue). • Order: List CPT codes in descending order to optimize reimbursement.
<u>Original Coding</u>	<u>RVUs</u>																																																																													
34203-50-22.....	49.15																																																																													
(Calculated at 170% for 50 & 22 Mods)																																																																														
34203-50-59.....	40.97																																																																													
(Calculated at 150% for bilateral)																																																																														
34201-50.....	40.22																																																																													
(Calculated at 150% for bilateral)																																																																														
34201-59.....	26.81																																																																													
37205.....	12.37																																																																													
37206-59.....	5.93																																																																													
75960-26-59.....	1.17																																																																													
36245-59.....	6.88																																																																													
36246-59.....	7.56																																																																													
36247-59.....	9.01																																																																													
75716-26-59.....	1.84																																																																													
75774-26-59.....	0.51																																																																													
Total.....	202.42																																																																													
<u>The Coding Network Coding</u>	<u>RVUs</u>																																																																													
34203-50-22	49.15																																																																													
34201-50-51	40.22																																																																													
37207-51	12.21																																																																													
35456-51	10.82																																																																													
35452-51	10.17																																																																													
35454-51	8.94																																																																													
35454-59 X 3	26.82																																																																													
36245-51	6.88																																																																													
37208 X 5	29.50																																																																													
36200-59-50	6.41																																																																													
(Calculated at 150% for bilateral)																																																																														
75966-26	1.88																																																																													
75716-26-59	1.84																																																																													
75625-26	1.60																																																																													
75960-26 X 6	7.02																																																																													
75962-26	0.76																																																																													
75964-26 X 4	2.04																																																																													
75774-26	0.51																																																																													
Total.....	216.77																																																																													
<i>Difference.....</i>	<i>- 14.35 undervalued</i>																																																																													
<p style="text-align: center;"><u>Diagnoses</u></p> <p>440.22 Atherosclerosis of native arteries of lower extremity with rest pain</p>	<p style="text-align: center;"><u>Diagnoses</u></p> <p>440.22 Atherosclerosis of native arteries of lower extremity with rest pain</p>	<p style="text-align: center;"><u>Discussion</u></p> <ul style="list-style-type: none"> • Correct. 																																																																												

THE CODING NETWORK, LLC
Confidential Coding Review For
Vascular Surgery Audit



Patient: 4	Date of Service: 1/8/2009	Physician: X																														
<table border="0" style="width: 100%;"> <tr> <td style="width: 80%;"><u>Original Coding</u></td> <td style="text-align: right;"><u>RVUs</u></td> </tr> <tr> <td>35646</td> <td style="text-align: right;">48.79</td> </tr> <tr> <td>34201-59</td> <td style="text-align: right;">27.32</td> </tr> <tr> <td>37620-59</td> <td style="text-align: right;">18.18</td> </tr> <tr> <td>36245-59</td> <td style="text-align: right;">7.04</td> </tr> <tr> <td>75710-26-59</td> <td style="text-align: right;">1.64</td> </tr> <tr> <td>Total.....</td> <td style="text-align: right;">102.97</td> </tr> </table>	<u>Original Coding</u>	<u>RVUs</u>	35646	48.79	34201-59	27.32	37620-59	18.18	36245-59	7.04	75710-26-59	1.64	Total.....	102.97	<table border="0" style="width: 100%;"> <tr> <td style="width: 80%;"><u>The Coding Network Coding</u></td> <td style="text-align: right;"><u>RVUs</u></td> </tr> <tr> <td>35646</td> <td style="text-align: right;">48.79</td> </tr> <tr> <td>37620-51.....</td> <td style="text-align: right;">18.18</td> </tr> <tr> <td>35875-51.....</td> <td style="text-align: right;">16.67</td> </tr> <tr> <td>36245-59.....</td> <td style="text-align: right;">7.04</td> </tr> <tr> <td>75710-26.....</td> <td style="text-align: right;">1.64</td> </tr> <tr> <td>Total.....</td> <td style="text-align: right;">92.32</td> </tr> <tr> <td colspan="2"><i>Difference..... + 10.65 upcoded</i></td> </tr> </table>	<u>The Coding Network Coding</u>	<u>RVUs</u>	35646	48.79	37620-51.....	18.18	35875-51.....	16.67	36245-59.....	7.04	75710-26.....	1.64	Total.....	92.32	<i>Difference..... + 10.65 upcoded</i>		<p style="text-align: center;"><u>Discussion</u></p> <ul style="list-style-type: none"> • Wrong code: 34201 was changed to 35875 as the documentation supported a graftotomy was performed, and removed thrombus, so this thrombus was in the graft. • Modifiers x 3: 59 Modifier were removed from 34201(35875), 37620, and 75710, as there is no bundling issues with these codes.
<u>Original Coding</u>	<u>RVUs</u>																															
35646	48.79																															
34201-59	27.32																															
37620-59	18.18																															
36245-59	7.04																															
75710-26-59	1.64																															
Total.....	102.97																															
<u>The Coding Network Coding</u>	<u>RVUs</u>																															
35646	48.79																															
37620-51.....	18.18																															
35875-51.....	16.67																															
36245-59.....	7.04																															
75710-26.....	1.64																															
Total.....	92.32																															
<i>Difference..... + 10.65 upcoded</i>																																
<p style="text-align: center;"><u>Diagnoses</u></p> <p>444.0 Embolism & thrombosis of abdominal aorta</p>	<p style="text-align: center;"><u>Diagnoses</u></p> <p>444.0 Embolism & thrombosis of abdominal aorta</p>	<p style="text-align: center;"><u>Discussion</u></p> <ul style="list-style-type: none"> • Correct. 																														

THE CODING NETWORK, LLC
Confidential Coding Review For
Vascular Surgery Audit



Patient: 5	Date of Service: 1/19/2009	Physician: X																																																																		
<table border="0"> <thead> <tr> <th style="text-align: left;"><u>Original Coding</u></th> <th style="text-align: right;"><u>RVUs</u></th> </tr> </thead> <tbody> <tr><td>35256-22.....</td><td style="text-align: right;">34.54</td></tr> <tr><td>(Calculated at 120% RVU for 22 Mod)</td><td></td></tr> <tr><td>35572-59.....</td><td style="text-align: right;">9.93</td></tr> <tr><td>34201-59.....</td><td style="text-align: right;">27.32</td></tr> <tr><td>35470-59.....</td><td style="text-align: right;">12.84</td></tr> <tr><td>35474-59.....</td><td style="text-align: right;">10.97</td></tr> <tr><td>35474-59.....</td><td style="text-align: right;">10.97</td></tr> <tr><td>75962-26-59.....</td><td style="text-align: right;">0.77</td></tr> <tr><td>75964-26-59.....</td><td style="text-align: right;">0.52</td></tr> <tr><td>75964-26-59.....</td><td style="text-align: right;">0.52</td></tr> <tr><td>36245-59.....</td><td style="text-align: right;">7.04</td></tr> <tr><td>36246-59.....</td><td style="text-align: right;">7.69</td></tr> <tr><td>36247-59.....</td><td style="text-align: right;">9.16</td></tr> <tr><td>75710-26-59.....</td><td style="text-align: right;">1.64</td></tr> <tr><td>75774-26-59.....</td><td style="text-align: right;">0.52</td></tr> <tr><td>75774-26-59.....</td><td style="text-align: right;">0.52</td></tr> <tr><td>Total.....</td><td style="text-align: right;">134.95</td></tr> </tbody> </table>	<u>Original Coding</u>	<u>RVUs</u>	35256-22.....	34.54	(Calculated at 120% RVU for 22 Mod)		35572-59.....	9.93	34201-59.....	27.32	35470-59.....	12.84	35474-59.....	10.97	35474-59.....	10.97	75962-26-59.....	0.77	75964-26-59.....	0.52	75964-26-59.....	0.52	36245-59.....	7.04	36246-59.....	7.69	36247-59.....	9.16	75710-26-59.....	1.64	75774-26-59.....	0.52	75774-26-59.....	0.52	Total.....	134.95	<table border="0"> <thead> <tr> <th style="text-align: left;"><u>The Coding Network Coding</u></th> <th style="text-align: right;"><u>RVUs</u></th> </tr> </thead> <tbody> <tr><td>35876-22.....</td><td style="text-align: right;">32.08</td></tr> <tr><td>(Calculated at 120% RVU for 22 Mod)</td><td></td></tr> <tr><td>35459-51.....</td><td style="text-align: right;">12.71</td></tr> <tr><td>35456-51.....</td><td style="text-align: right;">10.79</td></tr> <tr><td>35456-59.....</td><td style="text-align: right;">10.79</td></tr> <tr><td>36247-51.....</td><td style="text-align: right;">9.16</td></tr> <tr><td>75710-26-59.....</td><td style="text-align: right;">1.64</td></tr> <tr><td>75962-26.....</td><td style="text-align: right;">0.77</td></tr> <tr><td>75964-26.....</td><td style="text-align: right;">0.52</td></tr> <tr><td>75964-26-59.....</td><td style="text-align: right;">0.52</td></tr> <tr><td>75774-26.....</td><td style="text-align: right;">0.52</td></tr> <tr><td>75774-26-59.....</td><td style="text-align: right;">0.52</td></tr> <tr><td>Total.....</td><td style="text-align: right;">80.02</td></tr> <tr><td><i>Difference..... + 54.93 upcoded</i></td><td></td></tr> </tbody> </table>	<u>The Coding Network Coding</u>	<u>RVUs</u>	35876-22.....	32.08	(Calculated at 120% RVU for 22 Mod)		35459-51.....	12.71	35456-51.....	10.79	35456-59.....	10.79	36247-51.....	9.16	75710-26-59.....	1.64	75962-26.....	0.77	75964-26.....	0.52	75964-26-59.....	0.52	75774-26.....	0.52	75774-26-59.....	0.52	Total.....	80.02	<i>Difference..... + 54.93 upcoded</i>		<p style="text-align: center;"><u>Discussion</u></p> <ul style="list-style-type: none"> • Billed but not done x 3: 36245 and 36246 were not the furthest catheterization site. It was the anterior tibial through one access site and coded as 36247 only. 35572 cannot be coded here as the saphenous vein was harvested and included. 35572 has to be the femoral or popliteal vein. • Wrong Code x 5: 35256 and 34201 were changed to 35876, as the thrombectomy patch angioplasty was performed in a bypass graft. All of the angioplasty codes were changed from percutaneous to open as this was done through an open exposure. • Modifiers x 6: 59 modifiers were used. If there is no bundling issue you need to use 51 modifiers instead of 59. • Order: List CPT codes in descending order to optimize reimbursement.
<u>Original Coding</u>	<u>RVUs</u>																																																																			
35256-22.....	34.54																																																																			
(Calculated at 120% RVU for 22 Mod)																																																																				
35572-59.....	9.93																																																																			
34201-59.....	27.32																																																																			
35470-59.....	12.84																																																																			
35474-59.....	10.97																																																																			
35474-59.....	10.97																																																																			
75962-26-59.....	0.77																																																																			
75964-26-59.....	0.52																																																																			
75964-26-59.....	0.52																																																																			
36245-59.....	7.04																																																																			
36246-59.....	7.69																																																																			
36247-59.....	9.16																																																																			
75710-26-59.....	1.64																																																																			
75774-26-59.....	0.52																																																																			
75774-26-59.....	0.52																																																																			
Total.....	134.95																																																																			
<u>The Coding Network Coding</u>	<u>RVUs</u>																																																																			
35876-22.....	32.08																																																																			
(Calculated at 120% RVU for 22 Mod)																																																																				
35459-51.....	12.71																																																																			
35456-51.....	10.79																																																																			
35456-59.....	10.79																																																																			
36247-51.....	9.16																																																																			
75710-26-59.....	1.64																																																																			
75962-26.....	0.77																																																																			
75964-26.....	0.52																																																																			
75964-26-59.....	0.52																																																																			
75774-26.....	0.52																																																																			
75774-26-59.....	0.52																																																																			
Total.....	80.02																																																																			
<i>Difference..... + 54.93 upcoded</i>																																																																				
<p style="text-align: center;"><u>Diagnoses</u></p> <p>996.74 Other complications due to other vascular device, implant, and graft</p>	<p style="text-align: center;"><u>Diagnoses</u></p> <p>996.74 Other complications due to other vascular device, implant, and graft</p> <p>E878.2 Surgical operation with anastomosis, bypass, or graft, with natural or artificial tissues used as implant causing abnormal patient reaction, or later complication</p>	<p style="text-align: center;"><u>Discussion</u></p> <ul style="list-style-type: none"> • Missed Diagnosis: E878.2 was added to the coding for the complication. 																																																																		